

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 08:50
L2	1	1 and web adj site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 08:50
L3	0	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L4	14066	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L5	717	L4 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L6	32	L5 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L7	18	L6 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L8	18	L7 and (compar\$ match\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L9	18	L6 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L10	18	L9 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L11	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L12	2	L11 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L13	1	L11 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L14	1	L11 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L15	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L16	1	L15 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L17	0	L15 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L18	1	L15 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L19	1	L15 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L20	1	L15 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L21	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L22	2	L21 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L23	1	L21 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L24	1	L21 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L25	2	L21 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L26	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L27	167	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L28	6	L27 and "709"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L29	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L30	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L31	1	L30 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L32	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L33	2	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L34	0	L33 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L35	148	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L36	13	L35 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L37	13	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L38	12	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L39	0	L38 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L40	644	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L41	18	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L42	0	L41 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L43	158	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L44	18	L43 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L45	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L46	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L47	1	L46 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L48	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L49	0	L42 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L50	158	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L51	13	L50 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L52	3208	server with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L53	259	L52 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L54	76	L53 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L55	13	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L56	2	L55 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L57	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L58	777	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L59	281	L58 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L60	13	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L61	0	L60 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L62	52	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L63	34	L62 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L64	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L65	1	L64 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L66	0	L64 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L67	24	client with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L68	0	L67 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L69	732	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L70	111	L69 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L71	154	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L72	26	L71 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L73	7934	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L74	13	L72 and L73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L75	1847	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L76	4	L72 and L75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L77	163	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L78	24	L77.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L79	0	L78 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03



L80	5	L77 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L81	63	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L82	5	L81 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L83	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L84	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L85	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L86	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L87	4	L85 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L88	0	L86 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L89	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L90	269	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L91	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L92	0	L91 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L93	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L94	4	L93 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L95	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L96	4	L95 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L97	90	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L98	7	L97 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L99	50	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L100	18	L99 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L101	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L102	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L103	183	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L104	79	L103 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L105	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L106	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L107	217	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L108	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L109	2	L108 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L110	217	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L111	89	L110 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L112	182	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L113	55	L112 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L114	148	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L115	48	L114 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L116	2	"5623600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L117	1	L116 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L118	0	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L119	14066	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03

L120	717	L119 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L121	32	L120 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L122	18	L121 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L123	18	L122 and (compar\$ match \$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L124	18	L121 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:03
L125	18	L124 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L126	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L127	2	L126 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L128	1	L126 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L129	1	L126 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

L130	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L131	1	L130 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L132	0	L130 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L133	1	L130 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L134	1	L130 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L135	1	L130 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L136	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L137	2	L136 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L138	1	L136 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L139	1	L136 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

L140	2	L136 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L141	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L142	167	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L143	6	L142 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L144	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L145	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L146	1	L145 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L147	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L148	2	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L149	0	L148 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

L150	148	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L151	13	L150 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L152	13	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L153	12	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L154	0	L153 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L155	644	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L156	18	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L157	0	L156 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L158	158	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L159	18	L158 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04



L160	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L161	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L162	1	L161 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L163	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L164	0	L157 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L165	158	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L166	13	L165 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L167	3208	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L168	259	L167 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L169	76	L168 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

L170	13	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L171	2	L170 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L172	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L173	777	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L174	281	L173 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L175	13	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L176	0	L175 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L177	52	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L178	34	L177 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L179	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

L180	1	L179 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L181	0	L179 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L182	24	client with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L183	0	L182 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L184	732	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L185	111	L184 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L186	154	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L187	26	L186 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L188	7934	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L189	13	L187 and L188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

L190	1847	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L191	4	L187 and L190	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L192	163	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L193	24	L192.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L194	0	L193 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L195	5	L192 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L196	63	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L197	5	L196 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L198	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L199	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

L200	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L201	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L202	4	L200 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L203	0	L201 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L204	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L205	269	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L206	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L207	0	L206 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L208	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L209	4	L208 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

L210	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L211	4	L210 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L212	90	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L213	7	L212 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L214	50	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L215	18	L214 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L216	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L217	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L218	183	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L219	79	L218 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

L220	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L221	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L222	217	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L223	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L224	2	L223 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L225	217	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L226	89	L225 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L227	182	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L228	55	L227 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L229	148	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04

L230	48	L229 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L231	2	"5623600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
L232	1	L231 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 09:04
S1	0	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:59
S2	11500	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:44
S3	501	S2 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:59
S4	31	S3 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:03
S5	17	S4 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:02
S6	17	S5 and (compar\$ match\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:01
S7	17	S4 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:04



S8	17	S7 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:08
S9	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:25
S10	2	S9 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:08
S11	1	S9 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:09
S12	1	S9 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:49
S13	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:25
S14	1	S13 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:27
S15	0	S13 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:28
S16	1	S13 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:32
S17	1	S13 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:43

S18	1	S13 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:44
S19	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:49
S20	2	S19 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:50
S21	1	S19 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:01
S22	1	S19 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:04
S23	2	S19 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:04
S24	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:44
S25	151	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:44
S26	4	S25 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:47
S27	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:47

S28	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:16
S29	1	S28 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:16
S30	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:45
S31	2	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:45
S32	0	S31 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:47
S33	134	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:48
S34	13	S33 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:48
S35	12	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:53
S36	10	server with (check\$3 verif \$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:53
S37	0	S36 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:53

S38	558	server with (check\$3 verif \$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S39	15	server with (check\$3 verif \$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S40	0	S39 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S41	138	server with (check\$3 verif \$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S42	18	S41 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S43	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:02
S44	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:02
S45	1	S44 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:02
S46	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:04
S47	0	S40 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:04

S48	144	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:05
S49	13	S48 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:05
S50	2789	server with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:07
S51	259	S50 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:07
S52	76	S51 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:07
S53	13	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:08
S54	2	S53 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:08
S55	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:09
S56	712	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:34
S57	280	S56 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:34

S58	10	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S59	0	S58 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S60	48	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S61	34	S60 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S62	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:55
S63	1	S62 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:55
S64	0	S62 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:04
S65	24	client with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:16
S66	0	S65 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:16
S67	660	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17

S68	111	S67 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S69	137	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S70	26	S69 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S71	7064	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:19
S72	13	S70 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:19
S73	1648	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:19
S74	4	S70 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:20
S75	147	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S76	19	S75.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S77	0	S76 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44

S78	5	S75 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S79	63	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:47
S80	5	S79 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:47
S81	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:58
S82	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
S83	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
S84	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
S85	4	S83 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
S86	0	S84 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
S87	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:00



S88	258	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
S89	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
S90	0	S89 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
S91	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
S92	4	S91 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
S93	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:02
S94	4	S93 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:02
S95	83	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:10
S96	7	S95 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:10
S97	50	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:33

S98	18	S97 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:33
S99	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:34
S100	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:34
S101	182	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:36
S102	79	S101 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:36
S103	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:37
S104	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:37
S105	214	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:39
S106	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:39
S107	2	S106 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:39

S108	214	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:40
S109	89	S108 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:40
S110	178	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:58
S111	55	S110 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:58
S112	144	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:59
S113	48	S112 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:59
S114	2	"5623600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 14:04
S115	1	S114 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 14:04
S116	0	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S117	13282	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S118	643	S117 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S119	32	S118 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S120	18	S119 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S121	18	S120 and (compar\$ match \$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S122	18	S119 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S123	18	S122 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S124	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S125	2	S124 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S126	1	S124 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S127	1	S124 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S128	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S129	1	S128 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S130	0	S128 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S131	1	S128 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S132	1	S128 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S133	1	S128 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S134	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S135	2	S134 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S136	1	S134 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S137	1	S134 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S138	2	S134 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S139	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S140	160	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S141	5	S140 and "709"/\$.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S142	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S143	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S144	1	S143 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S145	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S146	2	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S147	0	S146 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S148	143	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S149	13	S148 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S150	12	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S151	11	server with (check\$3 verif\$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S152	0	S151 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S153	593	server with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S154	17	server with (check\$3 verif\$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S155	0	S154 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S156	150	server with (check\$3 verif\$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S157	18	S156 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S158	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S159	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S160	1	S159 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S161	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S162	0	S155 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S163	152	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S164	13	S163 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S165	3008	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S166	259	S165 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S167	76	S166 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34



S168	13	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S169	2	S168 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S170	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S171	749	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S172	281	S171 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S173	13	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S174	0	S173 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S175	51	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S176	34	S175 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S177	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S178	1	S177 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S179	0	S177 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S180	24	client with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S181	0	S180 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S182	697	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S183	111	S182 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S184	146	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S185	26	S184 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S186	7560	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S187	13	S185 and S186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S188	1769	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S189	4	S185 and S188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S190	153	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S191	21	S190.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S192	0	S191 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S193	5	S190 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S194	63	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S195	5	S194 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S196	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S197	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S198	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S199	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S200	4	S198 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S201	0	S199 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S202	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S203	258	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S204	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S205	0	S204 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S206	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S207	4	S206 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S208	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S209	4	S208 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S210	83	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S211	7	S210 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S212	50	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S213	18	S212 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S214	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S215	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S216	182	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S217	79	S216 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S218	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S219	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S220	214	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S221	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S222	2	S221 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S223	214	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S224	89	S223 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S225	178	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S226	55	S225 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S227	144	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

S228	48	S227 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S229	2	"5623600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34
S230	1	S229 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 13:34

12/ 1/ 08 9:07:30 AM

C:\Documents and Settings\awang2\My Documents\EAST\Workspaces\10807514.pn..wsp